

Common Factors in Case Management with Children and their Families

By Alankaar Sharma, ABD, MSW & Jane Gilgun, PhD, LICSW

REFERENCES

- Beck, D., & Jones, M. (1973). *Progress in family problems*. New York, NY: Family Service Association of America.
- Cameron, M., & Keenan, E. K. (2010). The common factors model: Implications for transtheoretical clinical social work practice. *Social Work, 55*(1), 63-73.
- Drisko, J. W. (2004). Common factors in psychotherapy outcome. *Families in Society, 85* (1), 81-90.
- Frank, J. D. (1971). Therapeutic factors in psychotherapy. *American Journal of Psychotherapy, 25*(3), 350-361.
- Frank, J. D., & Frank, J. B. (1991). *Persuasion and healing: A comparative study of psychotherapy (3rd ed.)*. Baltimore, MD: Johns Hopkins University Press.
- Garfield, S. (1994). Research on client variables in psychotherapy. In A. Bergan & S. Garfield (Eds.), *Handbook of psychotherapy and behavior change* (pp. 190-228). New York, NY: Wiley.
- Hubble, M., Duncan, B., & Miller, S. (1999). Introduction. In M. Hubble, B. Duncan, & S. Miller (Eds.), *The heart and soul of change: What works in therapy* (pp. 1-19). Washington, DC: American Psychological Association.
- Lambert, M. (1992). Implications of outcome research for psychotherapy integration. In J. Norcross & J. Goldstein (Eds.), *Handbook of psychotherapy integration* (pp. 94-129). New York, NY: Basic.
- Lambert, M. J., & Ogles, B. M. (2004). The efficacy and effectiveness of psychotherapy. In S. L. Garfield & A. E. Bergen (Eds.), *Handbook of psychotherapy and behavior change (3rd ed.)*. New York, NY: Wiley.

- Luborsky, L., Singer, B., & Luborsky, L. (1975). Comparative studies of psychotherapies: Is it true that “everyone has won and all must have prizes”? *Archives of General Psychiatry*, *32*(8), 995-1008.
- Maiter, S., Palmer, S., & Manji, S. (2006). Strengthening social worker-client relationships in child protective services: Addressing power relationships and “ruptured” relationships. *Qualitative Social Work*, *5*(2), 167-186.
- Miller, S. D., Duncan, B. L., & Hubble, M. A. (2007). *Escape from Babel: Toward a unifying language for psychotherapy research*. New York, NY: Norton.
- Miller, S. D., Duncan, B. L., & Hubble, M. A. (2007). Outcome-informed clinical work. In J. C. Norcross & M. R. Goldfried (Eds.), *Handbook of psychotherapy integration (2nd ed.)* (pp. 84-102). Oxford, UK: Oxford University Press.
- Perlman, H. H. (1957). *Social casework: A problem-solving process*. Chicago, IL: University of Chicago.
- Rogers, C. R. (1961). *On becoming a person: A therapist's view of psychotherapy*. New York, NY: Houghton Mifflin Company.
- Rooney, R. H. (Ed.) (2009). *Strategies for work with involuntary clients (2nd ed.)*. New York, NY: Columbia University Press.
- Rosenzweig, S. (1936). Some implicit common factors in diverse methods of psychotherapy: “At last the Dodo said, ‘Everybody has won and all must have prizes.’” *American Journal of Orthopsychiatry*, *6*, 412-415.
- Saggese, M. L. (2005). Maximizing treatment effectiveness in clinical practice: An outcome-informed, collaborative approach. *Families in Society*, *86*(4), 558-564.
- Saggese, M. L. (2005). Maximizing treatment effectiveness in clinical practice: An outcome-informed, collaborative approach. *Families in Society*, *86*(4), 558-564.

Sprenkle, D. H., & Blow, A. J. (2004). Common factors and our sacred models. *Journal of Marital and Family Therapy, 30(2)*, 113-129.

Sprenkle, D. H., & Blow, A. J. (2004). Common factors are not islands – they work through models. *Journal of Marital and Family Therapy, 30(2)*, 113-129.